



Protecting and improving the nation's health

UK Standards for Microbiology Investigations

Review of Users' Comments received by Working group for microbiology standards in clinical bacteriology

B 38 Investigation of bone marrow



Recommendations are listed as ACCEPT/ PARTIAL ACCEPT/DEFER/ NONE or PENDING

Issued by the Standards Unit, Microbiology Services, PHE RUC | B 38 | Issue no: 1 | Issue date: 12.10.15 Page: 1 of 3

Consultation 15.09.14 – 13.10.14

Version of document consulted on – B 38dr+

Proposal for changes

Comment number	1			
Date received	10/10/2014	Lab name	Royal Liverpool University Hospital	
Section	4.5 Culture and Investigation			
Comment				
 a. We note the advice to use enrichment broth and examine the broth daily and subculture if positive. We felt this would be challenging as the broth Robinsons Cooked Meat Broth tends to become cloudy secondary to break down of the constituents of the broth, regardless of the presence of bacteria. b. We also note the suggestion to keep the FAA plate for 48 hours only - our practice is to extend the incubation to 5 days as our experience is that anaerobes are frequently isolated beyond 2 days. We would therefore be concerned regarding missing anaerobic growth, particularly as our empirical antibiotic treatment of bone infection does not always include anaerobic cover. 				
Recommended	NONE			
action	These comments are based on a previous version of the document, not the version of the document under consultation. Both points have been addressed.			

Comments received outside of consultations

Comment number	1			
Date received	01/07/2013 Lab name MSTAG		MSTAG	
Section	All 4 - 2.5.3			
Comment				
a. Blood culture broths - are both aerobic and anaerobic broths recommended?				
b. Incubation time 7-21d, conflicting advice regarding <i>Brucella</i> given in previous section, is this what is meant by "slow grower"?				
 Microscopy suggesting anaerobes - not felt to be relevant to bone marrow, as cannot tell if anaerobes by microscopy. 				
d. Neomycin - would this be needed, it was felt that FAA alone should suffice.				
Recommended action	a. AC	CEPT		
	Bot in th	n bottles are recom le text and table.	nmended, this has been clarified	
	b. AC	CEPT		

RUC | B 38 | Issue no: 1 | Issue date: 12.10.15

	Brucella are expected in most cases to grow witin 5-7 days. The table has been updated in line with the other SMI documents to state a 5 day incubation. Reference to slow growers has been removed.
C.	PARTIAL ACCEPT
	It is accepted that it is not possible to differentiate anaerobes from aerobes by microscopy. FAA for anaerobes has been moved to the standard media section of the media table under subculture plates. Table and appendix updated.
d.	ACCEPT
	FAA rather than neomycin FAA with a metronidazole disc is recommended. Table and Appendix updated.

Comment number	2			
Date received	02/08/2013	Lab name	British Infection Association (BIA)	
Section	Table 2.5.3 - incubation and culture of samples potentially containing anaerobes for microscopy.			
Comment				
Minor inconsistency between duration of incubation (7d) and reading (5d).				
Recommended action	ACCEPT			
	Table reviewed and at 3 and 5 days.	updated. Incubation	FAA for 5 days, read	

Respondents indicating they were happy with the contents of the document

Overall number of comments: 1				
Date received	29/09/2014	Lab name	Public Health Wales (PHW)	